Amendments to the Specification

Please amend the paragraph starting on page 19, line 21, as follows:

The phosphine groups preferably contain two identical or different, preferably identical unsubstituted or substituted hydrocarbon radicals with 1 to 20, preferably 1 to 12 carbon atoms. Of the ditertiary diphosphines the ones that are especially preferred are those in which the two phosphine groups are two identical or different radicals selected from the group comprising linear or branched C₁-C₁₂ alkyl; C₅-C₁₂ cycloalkyl, C₅-C₁₂ cycloalkyl-CH₂-, phenyl or benzyl, unsubstituted or substituted with C₁-C₆ alkyl or C₁-C₆ alkoxy; or contain phenyl or benzyl substituted with halogen (for example F, Cl and Br), C₁-C₆ alkyl, C₁-C₆ haloalkyl (for example trifluoromethyl), C₁-C₆ alkoxy, C₁-C₆ haloalkoxy (for example trifluoromethoxy), (C₆H₅)₃Si, (C₁-C₁₂ alkyl)₃Si, -NH₂, -NH(C₁-C₁₂ alkyl), -NH(phenyl), -NH(benzyl), -N(C₁-C₁₂ alkyl)₂, -N (phenyl)₂, -N(benzyl)₂, morpholinyl, piperidinyl, pyrrolidinyl, piperazinyl, -ammonium-X₃-, -SO₃M₁, -CO₂M₁, -PO₃(M₄)₂ -PO₃M₁, or -CO₂-C₁-C₆ alkyl (for example -CO₂CH₃), where M₁ represents an alkali metal or hydrogen, and X₃⁻ is the anion of a monobasic acid. M₁ preferably stands for H, Li, Na and K. X₃⁻ represents the anion of a monobasic acid, preferably Cl⁻, Br⁻, or the anion of a monocarboxylic acid, for example formiate, acetate, trichloroacetate or trifluoroacetate.

2

Please amend the paragraph starting on page 21, line 10, as follows:

The diphosphines preferably satisfy formula IV,


$$R_4R_5P-R_6-PR_7R_8$$
 (IV),

in which


R₄, R₅, R₇ and R₈ independently of one another represent a hydrocarbon radical with 1 to 20 carbon atoms which are unsubstituted or substituted with halogen, C₁-C₆-alkyl, C₁-C₆-haloalkyl, C_1-C_6 -alkoxy, C_1-C_6 -haloalkoxy, $(C_6H_5)_3Si$, $(C_1-C_{12}$ -alkyl) $_3Si$, $-NH_2$, $-NH(C_1-C_{12}$ -alkyl), -NH(phenyl), -NH(benzyl), -N(C₁-C₁₂-alkyl)₂, -N (phenyl)₂, -N(benzyl)₂, morpholinyl, piperidinyl, pyrrolidinyl, piperazinyl, -ammonium- X_3 -, -SO₃M₁, -CO₂M₁, -PO₃(M₄)₂ -PO₃M₁, or -CO₂-C₁-C₆-alkyl, where M₁ represents an alkali metal or hydrogen, and X₃ is the anion of a monobasic acid; or R₄ and R₅ and R₇ and R₈ respectively together denote tetramethylene, pentamethylene or 3-oxa-pentane-1,5-diyl, unsubstituted or substituted with halogen, C₁-C₆-alkyl or C₁-C₆-alkoxy, and R₆ is C₂-C₄-alkylene, unsubstituted or substituted with C₁-C₆-alkyl, C₁-C₆-alkoxy, C₅-cycloalkyl or C₆-cycloalkyl, phenyl, naphthyl or benzyl; 1,2- or 1,3-cycloalkylene, 1,2- or 1,3cycloalkenylene, 1,2- or 1,3-bicycloalkylene or 1,2- or 1,3-bicycloalkenylene with 4 to 10 carbon atoms, unsubstituted or substituted with C₁-C₆-alkyl, phenyl or benzyl; 1,2- or 1,3-cycloalkylene, 1,2- or 1,3-cycloalkenylene, 1,2- or 1,3-bicycloalkylene or 1,2- or 1,3-bicycloalkenylene with 4 to 10 carbon atoms, unsubstituted or substituted with C₁-C₆-alkyl, phenyl or benzyl, and attached at whose 1- and/or 2-position(s) or at whose 3-position is methylene or C₂-C₄-alkylidene; 1,4butylene, substituted in the 2,3-positions with R₉R₁₀C(O-)₂, and in the 1- and/or 4-positions

unsubstituted or substituted with C_1 - C_6 -alkyl, phenyl or benzyl, and where R_9 and R_{10} independently of one another represent hydrogen, C_1 - C_6 -alkyl, phenyl or benzyl; 3,4- or 2,4-pyrrolidinylene or methylene-4-pyrrolidine-4-yl, the N-Atom of which is substituted with hydrogen, C_1 - C_{12} -alkyl, phenyl, benzyl, C_1 - C_{12} -alkoxycarbonyl, C_1 - C_8 -acyl, C_1 - C_{12} -alkylamino carbonyl; or 1,2-phenylene, 2-benzylene, 1,2-xylylene, 1,8-naphthylene, 2,2'-dinaphthylene or 2,2'-diphenylene, unsubstituted or substituted with halogen,

-OH, C₁-C₆-alkyl, C₁-C₆-alkoxy, phenyl, benzyl, phenyloxy or benzyloxy; or R₆ stands for a radical of the formulas



,



in which R_9 denotes hydrogen, C_1 - C_8 -alkyl, C_1 - C_4 -fluoroalkyl, unsubstituted phenyl or phenyl substituted with 1 to 3 F, Cl, Br, C_1 - C_4 -alkyl, C_1 - C_4 -alkoxy or fluoromethyl.